

Printing date 09.02.2023

Version number 304 (replaces version 303)

Revision: 09.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier 600188
- · Trade name: Fast-drying glue E-COLL
- · Article number: 4317784349215, 4317784349024, 4317784155892
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU21 Consumer uses: Private households / general public / consumers
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Application of the substance / the mixture Adhesives
- · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- · Further information obtainable from: Product safety department
- · 1.4 Emergency telephone number: Giftinformationszentrum Mainz Tel.: +49 (6131) 19240

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning

· Hazard statements

H315 Causes skin irritation. H319 Causes serious eye irritation.



Printing date 09.02.2023

Version number 304 (replaces version 303)

Revision: 09.02.2023

Trade name: Fast-drying glue E-COLL

(Contd. of page 1)

H335 May cause respiratory irritation.

· Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing vapours.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / eye protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

· Additional information:

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Ď

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Personal protection for the First Aider. Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air. Seek medical treatment in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.



Printing date 09.02.2023

Version number 304 (replaces version 303)

Revision: 09.02.2023

Trade name: Fast-drying glue E-COLL

(Contd. of page 2)

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Rinse out mouth and then drink plenty of water. Induce vomiting, if person is conscious. Seek medical help.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Product forms slippery surface when combined with water.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.



Printing date 09.02.2023

Version number 304 (replaces version 303)

Revision: 09.02.2023

Trade name: Fast-drying glue E-COLL

(Contd. of page 3)

· Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Use only receptacles specifically permitted for this substance/product.
- Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · DNELs

CAS: 7085-85-0 ethyl 2-cyanoacrylate

- Inhalative Long term value for employees 9.25 mg/m³ (industrial use)
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.

\cdot Individual protection measures, such as personal protective equipment

- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes.
- Respiratory protection: Not necessary if room is well-ventilated.
 Use suitable respiratory protective device in case of insufficient ventilation.
 Filter A2

(Contd. on page 5)

EU



Printing date 09.02.2023

Version number 304 (replaces version 303)

Revision: 09.02.2023

Trade name: Fast-drying glue E-COLL

(Contd. of page 4)





Protective gloves

Material of gloves

· Relative density

· Vapour density

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Recommendation: safety glasses with side protection shield
- · Body protection: Protective work clothing
- **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · General Information · Colour: Colourless · Odour: Pungent · Odour threshold: Not determined. Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range 185 °C · Flammability Not applicable. · Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. · Flash point: 85 °C 490 °C · Ignition temperature: · Decomposition temperature: Not determined. Not determined. ٠pH · Viscosity: · Kinematic viscosity Not determined. · Kinematic: 23 °C - 4 mm (ISO 2431) · Dynamic: Not determined. · Solubility Hydrolised. · water: · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not determined. · Density and/or relative density · Density at 20 °C: 1.04 g/cm³

Not determined.

Not determined.



Printing date 09.02.2023

Version number 304 (replaces version 303)

Revision: 09.02.2023

(Contd. of page 5)

Trade name: Fast-drying glue E-COLL

· 9.2 Other information	
· Appearance:	
· Form:	Fluid
Important information on protection of health	
and environment, and on safety.	
• Auto-ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Solvent separation test:	0.0.04
Organic solvents:	0.0 %
Change in condition	
Softening point/range	Not determined
Oxidising properties	Not determined.
· Evaporation rate	Not determined.
· Information with regard to physical hazard	
classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
· Flammable solids	Void
 Self-reactive substances and mixtures 	Void
 Pyrophoric liquids 	Void
 Pyrophoric solids 	Void
 Self-heating substances and mixtures 	Void
 Substances and mixtures, which emit flammable 	
gases in contact with water	Void
 Oxidising liquids 	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
 Desensitised explosives 	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with water. Reacts with alcohols, amines, aqueous acids and alkalis.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.



Printing date 09.02.2023

Version number 304 (replaces version 303)

Revision: 09.02.2023

Trade name: Fast-drying glue E-COLL

(Contd. of page 6)

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:
CAS: 7085-85-0 ethyl 2-cyanoacrylate

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit) (OCED 402)

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.



Printing date 09.02.2023

Version number 304 (replaces version 303)

Revision: 09.02.2023

Trade name: Fast-drying glue E-COLL

(Contd. of page 7)

· 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods:

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

· European waste catalogue		
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances	
15 01 10*	packaging containing residues of or contaminated by hazardous substances	

SECTION 14: Transport information

 · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA 	Void	
 · 14.2 UN proper shipping name · ADR · ADN, IMDG, IATA 	UN- Void	
· 14.3 Transport hazard class(es)		
· ADR · Class · Label · ADN/R Class:	- (-) - Void	
· IMDG, IATA · Class · Label	Void -	
 · 14.4 Packing group · ADR, IMDG, IATA 	Void	
 • 14.5 Environmental hazards: • Marine pollutant: 	No	(Contd. on page 9)



Printing date 09.02.2023 Version number 304 (replaces version 303)

Revision: 09.02.2023

Trade name: Fast-drying glue E-COLL

• 14.6 Special precautions for user Not applicable.
 • 14.7 Maritime transport in bulk according to IMO instruments Not applicable.
 • UN "Model Regulation": UN-, -

SECTION 15: Regulatory information

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary statements

· F	Tecaulionaly Sid	
F	·101	If medical advice is needed, have product container or label at hand.
F	2102	Keep out of reach of children.
F	261	Avoid breathing vapours.
F	271	Use only outdoors or in a well-ventilated area.
F	280	Wear protective gloves / eye protection.
F	302+P352	IF ON SKIN: Wash with plenty of water.
F	205+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
F	312	Call a POISON CENTER/doctor if you feel unwell.
F	403+P233	Store in a well-ventilated place. Keep container tightly closed.
F	°501	Dispose of contents/container in accordance with local/regional/national/international
		regulations.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

· Department issuing SDS: Product safety department



Printing date 09.02.2023

Version number 304 (replaces version 303)

Revision: 09.02.2023

Trade name: Fast-drying glue E-COLL

(Contd. of page 9)

FU -

- · Contact: sdb@ede.de
- Date of previous version: 09.02.2023
- Version number of previous version: 303

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

·* Data compared to the previous version altered.